

# Certificate of constancy of performance

No. 0672-CPR-0722

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the

Construction Product(s) **Pot Bearing**  
**with trade name**  
**SCHREIBER Pot Bearing**

placed on the market  
under the name or trade  
mark of **Schreiber Brücken-Dehntechnik GmbH**  
**Am Moosbach 10+12**  
**74535 Mainhardt**  
**Germany**

produced in the  
manufacturing plant(s) **Factory S1**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

Annex ZA  
of the standard(s) **EN 1337-5:2005**

under system **1**

for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

## **constancy of performance of the construction product.**

This certificate was first issued on **2017-07-04**, replaces the EC-Certificate of Conformity (0672-CPD-046.2) to a certification issued on 2010-07-06 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

This document has been translated for informative purpose only. Original version is issued in German. In any case of doubt the German version is valid.



S. Gerber

Dipl.-Ing. Siegfried Gerber  
Head of Certification Body



## Annex 1

to the certificate of constancy of performance No. 0672-CPR-0722

Main performances for the construction product

### Pot Bearing

with trade name

### SCHREIBER Pot Bearing

with elastomeric pad of compound MEN LD1 or of compound MA 170-50/04 and internal seal of brass or of PTFE/carbon as fixed bearing or with horizontal sliding part, types 2.1, 2.2, 2.3 in accordance with EN 1337-1, for effective bearing temperatures of -35°C to +48°C as sliding bearing and of -40°C to +50°C as fixed bearing, for use in building and civil engineering works where requirements on individual bearings are critical.

This Annex is only valid together with the certificate of constancy of performance according EU-BauPVO 0672 – CPR – 0722.

Stuttgart, 2018-06-07

